(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID: 2103 Roll No.

B.Tech.

(SEM. V) ODD SEMESTER THEORY EXAMINATION 2013-14

MANUFACTURING SCIENCE—II

Time: 3 Hours Total Marks: 100

Note: — Attempt all questions. All questions carry equal marks.

- 1. Attempt any four parts of the following: (4×5=20)
 - (a) What are the various types of chips? Under what conditions is each formed?
 - (b) Explain the Merchant's force circle diagram and derive the shear angle relationship $2\phi + \beta \alpha = \pi/2$, where ϕ is the shear angle, β is the friction angle and α is the rake angle. State the assumptions made in the developments of such a diagram.
 - (c) What are cutting fluids? Discuss some of the cutting fluids used during machining.
 - (d) When the rake angle is zero during orthogonal cutting,

show that
$$\frac{\tau_s}{U_c} = \frac{(1-\mu r)r}{1+r^2}$$

Where symbols have their usual meanings.

(e) Draw the tool geometry of a single point cutting tool and show the different angles.

- 2. Attempt any two parts of the following: (2×10=20)
 - (a) What is the difference between Capstan and Turret lathe? What are the standard and special tools used on these machines? How are these tools different to engine lathe tools?
 - (b) Discuss the various criteria used for optimizing the cutting conditions. A cylindrical bar is to be turned. The maximum allowable feed is 0.2 mm/revolution and at this feed rate Taylor's tool life equation for a tool-work combination is found to be VT^{0.25}= 75. The labor cost involved in each regrinding of the tool is Rs. 5.00. On the average, it takes about 2 minutes to change the tool. Find the cutting speed that will lead to maximum production rate. Derive the formula used.
 - (c) What are the main differences between a shaper and a planer? Discuss the different drive mechanisms used in shaper with the help of suitable diagram.
- 3. Attempt any two parts of the following: $(2\times10=20)$
 - (a) What are the various factors to be considered in the selection of a grinding wheel? Discuss each in detail.
 - (b) (i) Why surface finish is important for many applications? Illustrate your answer.
 - (ii) Explain the Lapping process. State its uses, limitations and advantages.
 - (c) Explain the factors which affect the surface finish in plain milling operations.

A steel block of 20 mm width is being milled using a straight slab milling cutter with 20 teeth, 50 mm diameter, and 10° radial rake. The feed velocity of the table is 15 mm/min and the cutter rotates at 60 rpm. If a depth of cut of 1 mm is used, what will be the power consumption? Assume shear-strength (k) of steel is 250 N/mm² and tool-chip interface friction $\mu = 0.3$.

- 4. Attempt any two parts of the following: $(2\times10=20)$
 - (a) Explain with neat sketch the working and applications of the following:
 - (i) Coated and uncoated electrode welding
 - (ii) Atomic hydrogen welding.
 - (b) (i) Describe the submerged arc welding process with the help of a suitable diagram. What are the advantages and applications of this process?
 - (ii) Compare electro-slag welding process with that of submerged arc welding from standpoint of heat liberated, joint preparation and welding position.
 - (c) Describe the oxy-acetylene welding equipments. Draw the different types of flames used in gas welding. How would you identify these flames? What are the specific uses of each of these flames?
- 5. Attempt any two parts of the following: (2×10=20)
 - (a) What are the main parameters to be considered while selecting a particular unconventional machining process and why?

- (b) (i) How metal removal in EDM is achieved? Discuss any one spark generator used in EDM.
 - (ii) Draw a neat sketch of the Electrode feeding mechanism used in EDM.
- (c) (i) What are the applications of ultrasonic machining? Why can very hard material be better cut by the ultrasonic process than soft ones?
 - (ii) Compare ECM with EDM. Why isn't ECM as widely used as EDM?